

# 1 colson<sup>®</sup> SERIES


Capacity up to 75 lbs each

www.colsoncaster.com

## Standard Features

- Zinc plated finish is attractive and durable
- Full double ball hardened raceways for better performance and greater durability
- $\frac{5}{16}$ " shouldered axle with  $\frac{1}{4}$ " nut
- "Colson 45" multi-temp grease lubricates in extreme hot and cold temperatures

## Wood Furniture Stem



Swivel Cross Section

Fork Leg Spacing  $1\frac{5}{32}$ "

## Performance Options

### Caster Brake

**Side Lock** (See page 12)  
Available on all 3" models. Field installable (Specify **BRK3**).

### Fork Option

**NSF Listed** (See page 3)  
All models except thread guards (Specify **FSI**).

### Wheel Option

**Thread Guards**— Available on many models. Brake & NSF options cannot be used with thread guards (Specify **TG1** for metal **TG2** for plastic).



### Standard Mounting:

For use on wood furniture that can accept a  $\frac{3}{8}$ " diameter hole approximately  $1\frac{5}{8}$ " deep. Standard No.20 pressed steel adapter (Part #50011) with toothed base is supplied.

Stem size:  $\frac{5}{16}$ " diameter x  $1\frac{1}{2}$ " long.

## Wheel Selection



PERFORMA FLAT TREAD



POLYOLEFIN



POLYURETHANE HI-TECH



CUSHION RUBBER



HARD RUBBER

## 1 SERIES • Wood Furniture Stem • Capacity up to 75 lbs

Wheel Dia.	Tread Width	Capacity Each (Pounds)	Wheel Descriptions	Wheel Bearing	Stem Caster Models	Load Height	Swivel Radius	Weight (Pounds)
1 $\frac{5}{8}$ "	7/8"	60	Performa Rubber	Delrin	1.01652.441	2 $\frac{1}{2}$	1 $\frac{3}{4}$	1/2
		75	Polyolefin	Delrin	1.01652.52	2 $\frac{1}{2}$	1 $\frac{3}{4}$	1/2
2"	7/8"	75	Performa Rubber	Delrin	1.02252.441	2 $\frac{11}{16}$	1 $\frac{15}{16}$	1/2
			Polyolefin	Delrin	1.02252.52	2 $\frac{11}{16}$	1 $\frac{15}{16}$	1/2
			Cushion Rubber	Ball	1.02252.45	2 $\frac{11}{16}$	1 $\frac{15}{16}$	1/2
			Hard Rubber	Ball	1.02252.55	2 $\frac{11}{16}$	1 $\frac{15}{16}$	1/2
3"	7/8"	75	Performa Rubber	Delrin	1.03052.441	3 $\frac{13}{16}$	2 $\frac{9}{16}$	3/4
			Polyurethane HI-TECH	Delrin	1.03052.91	3 $\frac{13}{16}$	2 $\frac{9}{16}$	3/4
			Polyolefin	Delrin	1.03052.53	3 $\frac{13}{16}$	2 $\frac{9}{16}$	3/4